Work Plan No. 1
Job No. 1

Reconnaissance of Sport Fishing Pressure, Southeastern Alaska

A. Trout Fishing

During early winter with the usual bad weather, hunting seasons, and the expected lowering of enthusiasm on the part of sportsmen, little sport fishing is done. However, it is not for lack of fish, for some of our best fishing is available.

Few lakes were frozen over during this quarter and fishing was available even though few people took part. Adverse weather is a handicap, particularly where plane flights are involved.

An interesting fishery that is little used is the fall run of steelhead in the warmer streams. These fish enter the fresh water in the fall and spawn on the rising temperatures in the spring. As long as the fall and spawn on the rising temperatures in the spring. As long as the water stays at 39° F. or above, the trout are a great sport fishery potential. Although few people fish for them, this condition will cerpotential, although few people fish for them, this condition will certainly not exist for very many more years, particularly when these fish weigh as much as fifteen pounds.

Limited catch figures available for this quarter are as follows:

Date	Location	Fisher- men	Time	Cut- throat	Steel- head	Dolly <u>Varden</u>
11/9 11/11 11/16/53 11/18 12/8 12/29	Bakewell Lake Bakewell Lake Fish Creek Fish Creek Fish Creek Klawak Creek	1 1 1 2 2	20 min. 30 min. 20 min. 30 min. 31 hrs. 3 hrs.	2 2	1 1 7 2	3 2

B. Salmon Fishing

Fishing for king and coho salmon at this time is at a low point. The fish do not run as large as they do in the spring and the weather is not as pleasant. The coho run is over and there are only a few stragglars in the area. The kings are small and only run up to about 25 pounds.

However, on a weekend with fair weather, several skiffs may be seen fishing at Clover Pass and Mountain Point, or a few hardy souls are working around the schools of herring in Tongass Narrows attempting to take a king salmon. The catch is low.

A. TROUT

Sport fishing pressures reached what will probably be the peak for the year in the Ketchikan area during the month of June. Trout fishing and salmon fishing was very good during that month and in the areas to the north. The spring temperatures during April and May were low and fishing correspondingly slow to get started generally over the entire district.

It is of interest to note that the spring thaw was very drawn out producing abnormally low spring runoffs. This low water condition plus low water temperatures was not attractive to the sea runs of trout and fishing was not as good as in former years on corresponding dates.

Checks in the field gave the following data:

DATE	LOCATION	FISHEFMEN	STEELHEAD	taken, R - CUTTHROAT T R	RAINBOW	eased) DOLLY VARDEN T R
4/25	Fish Creek	4 7	0 - 5 3 - 2	0 - 0 0 - 0	1 - 0	0 - 0
4/29 5/1	Klavak Lk. (Outlet) Naha River	3 5	1 - 0 4 - 7	1 - 0	1 - 0	
5/2	Naha River Lk McDonald	11	14 - 16	0 - 0	0 - 0	0 - 0
5/E	(Outlet) Naha River	1 2	$ \begin{array}{cccc} 1 & - & 0 \\ 1 & - & 7 \\ 15 & - & 10 \end{array} $	0 - 0 1 - 0 0 - 0	0 - 0 0 - 0	
5/9 5/15 5/16	Kaha River Fish Creek Fish Creek	9 2 5	0 - 8	0 - 0 1 - 0	0 - 1 0 - 0	0 - 0 37 - 0
5/29	Lk McDonald (Outlet)	5	3 - 3	0 - 0	7 - 2	6 - 10 .
5/30. 5/31	(Inlet → Outlet) (Outlet)		4 - 4 4 - 4	0 - 0 1 - 0	6 - 0 3 - 0	10 - 0
6/9 6/9	Boulder Lak Anan Lake	te 2 2	0 - 0	1; - 0 6 - 0	0 - 0	0 - 0
6/12 6/13 6/17	_	3 3 2	0 - 5 0 - 3 0 - 0	5 - 0 3 - 0 10 - 0	15 - 0 5 - 0 0 - 0	

Very little fishing pressure occurred prior to May 1 on the streams and lakes. Due to the late spring, ice remained late in the low lakes and most of the high lakes (above 1000 ft.) are still ice covered.

F-1-R-2 D-3 3-3~52

took Flor Fo. 1 - About planting Functions of Spect Fieldin: Prop Now Southeastern, Alaska

The Finding in the whole of fauthoustern Marker is not obtain to year many people. Journally, there is existential and otherwish the winter withe the labor are from over or the character are open in the spring for stockhood fiching. This, in addition to the early fiching for pressure of southeastern Alaska as a whole and of the Ketchikan - Petersbury - Managell area in particular. The only lates I know of that were so fiched are: Thittle Postaleh Labor on Sasvina Island opposite Motelikan received five days (can days) of ice fishing. These were two carties there and only one of them caught creditable assumts of fish. One party fished Talbot bake in December and did well.

Spring fimiling is very popular as the streams were up and the menther is subtable for potting out on the sult water. Heny large king subtable are taken in April, Hey and June. The specifical fishing is at its height at this time and the reinbourfishing is good where they occur. The sea wars of outthroat and Dolly Verden begin in this period and they come into the streams and lewes.

The winder and spring fiching is mostly a best transportation setup and one flying is done to lakes and stream there shelters are availaable or as a single flight proposition. Nost of the lakes that noe field by simpleme are not safely open during the winter. The locations of this spring stream and lake fishing are:

Notabilina area		20 %	Roich.	Pron	
Haba Kiver ✓fica Greak			20 10		
Thomas River Epodicus Vey Cr	ec i:		30 5		•
Holm Bay Jako Yard Covo Creok		•	25 25 20		
Kebahikan Crook Kegan Grook Cibaro			10		

All of the above need locations have good enchange or nearages.

Pedardana Area	70	of Morall Presided.
Potersburg Grook Blind Glough Gastle River Other		10 20 20 20

Et modd. Area

Lides Virginia and outlet have mot of the sport fishing presents in the spiring.